

TEST REPORT

Report No.: **SZ4210520-18378E**

Date: June 18, 2021

Page 1 of 7

Shenzhen wanmai technology innovation Co., LTD

501, 5th Flr, BLDG 4, Pingshan Minqi Technology Park, No. 65 Lishan Road, Pingshan Community, Taoyuan Street, Nanshan District, Shenzhen, China

Report on the submitted samples said to be:

Sample Description: Portable power station

Brand: Gearfly

Tested Style/Item No.: Savior 300

Additional Style/ Item No.: Savior C300T,A15003

Remark: As claimed by the material declaration submitted by the client, the material of Additional Style/ Item No. are the same as the tested Style/ Item No. . But the results only for the tested sample. And the applicant will undertake all differences and risk.

Sample Receiving Date: May 20,2021

Lately Re-submit Date: June 15,2021

Testing Period: May 20,2021 - June 16,2021

Result: **Pass**

Signed for and on behalf of

BACL



Checked by: _____
Candy Lin



Approved by: _____
Lance Lee



TEST REPORT

Report No.: SZ4210520-18378E

Date: June 18, 2021

Page 2 of 7

Summary of Test Result:

TEST REQUEST

CONCLUSION

A. US California Proposition 65. on Lead content

Pass

B. US California Proposition 65. on Phthalates content

Pass

Pass=Meet the requirement of Client.

FURNIVAL

TEST REPORT

Report No.: SZ4210520-18378E

Date: June 18, 2021

Page 3 of 7

Result:

Tested part(s):

- (1) Clear plastic(indicator light of adapter, semi-product)
- (2) Black plastic(shell of adapter)
- (3) Black plastic(socket on adapter)
- (4) Yellow plastic(plug lining of adapter)
- (5) Black plastic(socket lining of power line)
- (6) Orange plastic(handle/button of portable power station)
- (7) Grey plastic(handle/shell of portable power station)
- (8) Light grey plastic(shell/button of portable power station/removable lamp)
- (9) Clear plastic(shell of removable lamp)
- (10) White plastic(side panel of portable power station)
- (11) Clear plastic(button of portable power station, semi-product)
- (12) Black plastic(outlet socket of portable power station)
- (13) Black plastic(charging socket lining of portable power station)
- (14) Brown plastic(PCB inside of car charger socket-portable power station)
- (15) Black soft plastic(cap on car charger socket of portable power station)
- (16) Black soft plastic(foot pad of portable power station, semi-product)
- (17) Black PVC(wire holder of adapter)
- (18) Grey printed black PVC(wire cable of adapter)
- (19) Black PVC(magnet ring on wire of adapter)
- (20) Black PVC(plug of adapter)
- (21) Black PVC(wire cable of power line)
- (22) Black PVC(socket of power line)
- (23) Black PVC(plug of power line)
- (24) Silvery metal(socket pin of adapter)
- (25) Silvery metal(plug pin of adapter)
- (26) Silvery metal(plug pin of power line)
- (27) Golden metal(connect point on back of removable lamp, semi-product)
- (28) Golden metal(connect pin under removable lamp, semi-product)
- (29) Silvery metal(charging socket of portable power station, semi-product)
- (30) Silvery metal(car charger socket of portable power station-tube)
- (31) Golden metal(car charger socket of portable power station-connect point, semi-product)
- (32) Clear plastic(screen of portable power station)

TEST REPORT

Report No.: SZ4210520-18378E

Date: June 18, 2021

Page 4 of 7

A. US California Proposition 65. on Lead content

Total Lead content(in paint and similar surface-coating materials)

Remark: This item is not applicable.

Total Lead content(in substrates)

Test method: CPSC-CH-E1001-08.3-2012;CPSC-CH-E1002-08.3-2012

Item	Unit	MDL	Result						Client's Limit
			(1)+(11)	(2)+(3)+(4)	(5)+(6)+(7)	(8)+(9)+(10)	(12)+(13)+(14)	(15)	
Lead(Pb)	mg/kg	10	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	100
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Item	Unit	MDL	Result						Client's Limit
			(16)	(17)+(18)+(19)	(20)+(21)+(22)	(23)	(24)+(25)+(26)	(27)	
Lead(Pb)	mg/kg	10	N.D.	N.D.	N.D.	N.D.	21	40	100
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Item	Unit	MDL	Result					Client's Limit
			(28)	(29)	(30)	(31)	(32)	
Lead(Pb)	mg/kg	10	56	22	14	30	31	100
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	/

B. US California Proposition 65. on Phthalates content

Test method: CPSC-CH-C1001-09.4-2018

Item	Unit	MDL	Result						Client's Limit
			(1)+(11)	(2)+(3)+(4)	(5)+(6)+(7)	(8)+(9)+(10)	(12)+(13)+(14)	(15)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisononyl Phthalate(DINP)	mg/kg	60	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisodecyl Phthalate(DIDP)	mg/kg	60	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Di-n-hexyl Phthalate (DHEXP/DnHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Item	Unit	MDL	Result					Client's Limit
			(16)	(17)+(18)+(19)	(20)+(21)+(22)	(23)	(32)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000

TEST REPORT

Report No.: SZ4210520-18378E

Date: June 18, 2021

Page 5 of 7

Item	Unit	MDL	Result					Client's Limit
			(16)	(17)+(18)+(19)	(20)+(21)+(22)	(23)	(32)	
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisononyl Phthalate(DINP)	mg/kg	60	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisodecyl Phthalate(DIDP)	mg/kg	60	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Di-n-hexyl Phthalate (DHEXP/DnHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	/

Note:

- N.D.= Not Detected or less than MDL
- MDL = Method Detection Limit
- "+" = Composite testing.

TEST REPORT

Report No.: SZ4210520-18378E

Date: June 18, 2021

Page 6 of 7

Photograph of Sample



BACL authenticate the photo on original report only

TEST REPORT

Report No.: SZ4210520-18378E

Date: June 18, 2021

Page 7 of 7

Statement:

- 1.This report cannot be reproduced except in full, without prior written approval of the Company.
- 2.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3.This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4.Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5.The information which provided by the applicant, such as sample description, sample name, material component, style/item No. , P.O. No. , manufacturer, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6.The test samples were in good condition before testing.

*** End of Report ***